

-	40	(700/105).CCLS.	USPAT	2004/07/09 06:57
-	1	("3285528").PN.	USPAT	2004/07/09 06:58
-	23	fail same safe same PLC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 08:39
-	2	shear adj pin adj monitor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 08:43
-	1553	pulse same interval same shaft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 11:10
-	958	pulse same interval same shaft same time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 08:44
-	521	pulse same interval same shaft same control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 08:45
-	105	pulse same interval same shaft same control same rotational	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 10:12
-	5	4521894.URPN.	USPAT	2004/07/09 09:43
-	1	5937088.pn.	USPAT	2004/07/09 10:12
-	1	shear adj pin adj monitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 11:12
-	6155	shear adj pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 11:13
-	1	(shear adj pin) and (pulse same interval same shaft same control same rotational)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 11:12
-	1	(shear adj pin) and (pulse same interval same shaft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 11:13
-	0	(shear adj pin) and (fail same safe same PLC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 11:13
-	0	(shear adj pin) and control and pilse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/09 11:13

-	1	(shear adj pin) and (pulse same interval same shaft same control same rotational)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT	2004/07/09 11:14
-	1881	(shear adj pin) and shaft	USPAT	2004/07/09 11:14
-	7	("3216097" "3494029" "3605465" "3624676" "3710480" "3789481" "3938245").PN.	USPAT	2004/07/09 11:44
-	10	3938245.URPN.	USPAT	2004/07/09 11:45
-	1	("4815014").PN.	USPAT	2004/07/09 11:45
-	48	4815014.URPN.	USPAT	2004/07/09 11:46

L Number	Hits	Search Text	DB	Time stamp
1	159	((shear adj pin) and shaft) and (monitor or detector)) and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 13:08
2	204	((shear adj pin) and shaft) and (monitor or detector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 13:09
3	16	((((shear adj pin) and shaft) and (monitor or detector)) and control) and pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 13:10